


## T5 Switch Batten

LBTE 16 NW 4ft SWITCH  
93053144

### Product information

GE LED T5 Batten designed to be a direct replacement for conventional battens, with energy savings. It offers multiple installation methods to ease your worries and bring the customer a brand new experience of soft lighting. The luminaire is fitted with an on/off switch for individual operation. The best choice for smooth linear lighting. We offer this range of 8 luminaires in 4 wattages.



### Application areas



Industrial



Hospitality



Office



Retail

## Product data

Mounting type	Surface mount
IP Rating	20
Certifications	CE
Impact resistance	IK02
Weight [kg]	0,21
DIALux description	GE - T5 Switch Batten - 1550lm - 16W - 4000K - 80CRI - 93053144[SKU] - Surface mount
Dimensions	1181.5 x 25.9 x 37.3mm
Energy efficiency class (EEC)	A+

## Performance data

Ambient Temperature [°C]	-20 to +40
Rated efficacy [lm/W]	97
Current [A]	88 mA
Total system power	16
Nominal lumens [lm]	1550
Rated life [h]	30000 & L70
Nominal correlated colour temperature (CCT) [K]	4000
Colour rendering index (CRI) [Ra]	80

## Optical data

Nominal beam angle [°]	170
------------------------	-----


## Electrical data

Nominal lamp power factor	0,9
Class	Class II
Controllability	Not dimmable electronic (Static)


Logistic data

Product status Available

Photometric Data



Technical drawing



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Datasheet \(PDF\)](#)

[Installation Guide \(PDF\)](#)

[Images \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)



Tungram is a registered trademark of  
Tungram Operations Kft.

[tungram.com](http://tungram.com)

We in Tungram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungram cannot accept any liability arising from the reliance on such data to the extent permitted by law.